


N 69 2333 1

AD

NASA CR 100602

RSIC-892

**ON ASYMPTOTIC STABILITY ACCORDING  
TO LYAPUNOV IN SOME CRITICAL CASES**



by

V. V. Kostin

NIDK-00

Dopov. Akademiya Nauk URSR, 35, No. 1, pp. 21-25, 1967.

Translated from the Ukrainian  
January 1969

*This document has been approved for public  
release and sale; its distribution is unlimited.*

**REDSTONE SCIENTIFIC INFORMATION CENTER**  
**REDSTONE ARSENAL, ALABAMA**

**JOINTLY SUPPORTED BY**



**U.S. ARMY MISSILE COMMAND**



**GEORGE C. MARSHALL SPACE FLIGHT CENTER**

**CASE FILE  
COPY**

**DISPOSITION INSTRUCTIONS**

*Destroy this report when it is no longer needed.  
Do not return it to the originator.*

**DISCLAIMER**

*The findings in this report are not to be construed as  
an official Department of the Army position unless so  
designated by other authorized documents.*

27 January 1969

RSIC-892

# **ON ASYMPTOTIC STABILITY ACCORDING TO LYAPUNOV IN SOME CRITICAL CASES**

by

**V. V. Kostin**

**Dopovidi Akademiyi Nauk URSR, 35, No. 1, pp. 21-25, 1967**

**Translated from the Ukrainian**

*This document has been approved for public  
release and sale; its distribution is unlimited.*

**Redstone Scientific Information Center  
Research and Engineering Directorate (Provisional)  
U. S. Army Missile Command  
Redstone Arsenal, Alabama 35809**

# ON ASYMPTOTIC STABILITY ACCORDING TO LYAPUNOV IN SOME CRITICAL CASES

by

V. V. Kostin

Systems of the type (1), (2), and (3) are investigated in this paper. Some or all real parts of the eigenvalues of  $A(t)$  approach zero as  $t \rightarrow +\infty$ . Sufficient conditions are obtained for asymptotic stability according to Lyapunov of the solutions of the systems at  $t \rightarrow +\infty$ .

---

Under consideration are systems of the type:

$$\frac{dx}{dt} = A(t)x, \quad (1)$$

$$\frac{dx}{dt} = A(t)x + f(t, x), \quad (2)$$

$$\frac{dx}{dt} = A(t)x + \varphi(t) + F(t, x), \quad (3)$$

where  $x = \{x_1, \dots, x_n\}$ ,  $\varphi(t) = \{\varphi_1(t), \dots, \varphi_n(t)\}$ ,  $f(t, x) = \{f_1(t, x), \dots, f_n(t, x)\}$ ,  $F(t, x) = \{F_1(t, x), \dots, F_n(t, x)\}$  are  $n$ -dimensional vectors.  $A(t)$  is an  $n$ -dimensional matrix whose elements are complexly valued functions, continuous in the general case, of the real variable  $t$ . We will designate that

$\|A(t)\| = \sum_{i,j} |\alpha_{ij}(t)|$ . It is required that  $\|A(t)\| \leq M$ ,  $M > 0$  and

$M = \text{constant}$  for all cases where  $t \geq t_0$ .

In our work sufficient indications were obtained of the asymptotic stability of systems (1), (2), and (3), depending on the type of behavior of the given functions and the tending toward zero of the real parts of the roots of the characteristic equation

$$\det |A(t) - \lambda E| = 0. \quad (4)$$

In that case, for systems of the type of (1) and (3) we used a method similar to that used in [1 - 3], where it was assumed that the roots of Eq. (4) have strictly negative real parts, which in the general case depend on  $t \geq t_0$  [1, 3]. In [4] an attempt was made to transfer the results of [1] to systems of types (1) and (2). The estimates obtained in that work are of little effectiveness. We partially eliminated that shortcoming and also obtained some new results.

Preliminarily, let us examine the system of differential equations

$$\frac{dV(t, t_0)}{dt} = AV(t, t_0) \quad , \quad (5)$$

where  $A$  is a constant  $n$ -dimensional matrix with the condition  $||A|| \leq M$ .

Let the roots of the characteristic equation  $\det|A - pE| = 0$  be such that their real parts satisfy the condition

$$\operatorname{Re} p_I \leq -\gamma < -\frac{\gamma}{4} < \operatorname{Re} p_{II} \leq \Lambda \quad .$$

The constant  $\gamma > 0$ ,  $\Lambda = \max \operatorname{Re} p_i$  ( $i = 1, 2, \dots, n$ ). For any two roots of the second group the condition of separation of the roots  $|p_i - p_j| \geq c > 0$  and  $c = \text{constant}$  ( $i \neq j$ ) is fulfilled. The multiplicity of the roots of the first group is sufficient.

Our further investigations are based on that lemma.

Lemma. Solution of system (5)  $V(t, t_0)$  with the initial condition  $V(t, t_0)|_{t=t_0} = E$  satisfies the condition

$$||V(t, t_0)|| \leq (K_1 + K_2)e^{\Lambda(t-t_0)} \quad ,$$

with the constants

$$0 \leq K_1 \leq 2^{2n} \gamma^{-n} M^n n^2 (n-1)^{\frac{n-1}{2}} = \alpha_1 \quad ,$$

$$0 < K_2 \leq 2^{n-1} c^{1-m} M^{n-1} n^2 (n-1)^{\frac{n-1}{2}} \left(\frac{\gamma}{2}\right)^{m-n} m = \alpha_2 \quad ,$$

where  $m$  is the number of roots of the first group,  $m = 1, 2, \dots, n$ . Therefore, if  $m = n$ , then  $K_1 = 0$ . The method of I. Z. Shtokalo [5] has been used to demonstrate that lemma.

Now let us examine a system of the type of (1). It is assumed that the roots of the characteristic Eq. (4) are such that their real parts can be divided into two groups

$$\operatorname{Re} \lambda_I(t) \leq -\gamma < -\frac{\gamma}{4} < \operatorname{Re} \lambda_{II}(t) \leq -g \frac{1}{t^{1-\beta}} \quad (6)$$

The constants  $\gamma$ ,  $\beta$ , and  $g > 0$ ;  $0 < \beta < 1$ . For any roots of the second group the condition of separation of the roots which figure in the lemma is fulfilled. The multiplicity of the roots of the first group is sufficient. It is also required that

$$||A(t_2) - A(t_1)|| \leq \delta \left| \frac{1}{t_2^{1-\beta}} - \frac{1}{t_1^{1-\beta}} \right| \quad (7)$$

for all cases where  $t_2$  and  $t_1 \geq t_0 \geq T > 0$ . The constant  $\delta$  satisfies the condition

$$0 < \delta < \frac{\beta g}{(\alpha_1 + \alpha)(1 - \beta)} \quad (8)$$

and so if  $m = n$ , then  $\alpha_1$  is not present in (8).

**Theorem 1.** Upon fulfillment of conditions (6), (7), and (8) the solutions of system (1) are asymptotically stable according to Lyapunov at  $t \rightarrow +\infty$ . More precisely, there exist constants  $K > 0$  and  $0 < \rho < 1$  such that if  $x(t)$  is the solution of Eq. (1) then

$$||x(t)|| \leq K \exp \left[ -\frac{\rho g}{\beta} \left( t^\beta - t_0^\beta \right) \right] ||x(t_0)|| \quad (9)$$

for all cases where  $t \geq t_0$ .

For example, the system

$$\begin{aligned} \dot{x}_1 &= \left( -\frac{1}{t^{0.01}} + i \right) x_1 + 5ix_2, \\ \dot{x}_2 &= \left( 3i - \frac{\ln t}{t} i - \frac{2}{5} \frac{1}{t^{0.01}} \right) x_1 + \left( -3 \frac{1}{t^{0.01}} - i \right) x_2, \end{aligned} \quad (10)$$

starting at a certain  $t \geq t_0 \geq T$  satisfies the conditions of Theorem 1 with the constants  $g = 2$ ;  $\beta = 0.99$ ,  $m = n = 2$ ;  $M < 11$ ;  $\delta < 5$ ;  $c > 6$ . Now one can readily convince oneself that inequality (8) is satisfied. Therefore, the solutions of system (10) are asymptotically stable according to Lyapunov.

Note 1. Along with system (1) let us examine the system

$$\frac{dy}{dt} = B(t)y, \quad (11)$$

where  $B(t)$  is an  $n$ -dimensional matrix continuous in all cases where  $t \geq t_0$ .

It is required that

$$\int_{t_0}^1 ||B(\tau) - A(\tau)|| d\tau \leq Q|t^{\beta_1} - t_0^{\beta_1}| + R,$$

where  $\beta_1$ ,  $Q$ , and  $R = \text{constant}$ ,  $Q > 0$ , and  $\beta_1 \leq \beta$ . Therefore,  $Q$  is an arbitrary constant if  $\beta_1 < \beta$  and  $Q < \frac{g}{2(\alpha_1 + \alpha_2)}$  if  $\beta_1 = \beta$ .

Let inequality (8) be fulfilled for  $2\delta$ . Then upon fulfillment of those conditions the solutions of system (11) are asymptotically stable at  $t \rightarrow +\infty$ .

Note 2. Let in system (1) the roots of the characteristic Eq. (4) be such that  $\text{Re}\lambda(t) \leq -\gamma$ ;  $||A(t_2) - A(t_1)|| \leq \delta|t_2 - t_1|$ , where the constant  $\delta$  satisfies the condition

$$\delta \leq \frac{\gamma}{4\alpha_1 T}, \quad T = \frac{8}{\gamma} \ln \alpha_1.$$

Then we get a previously known result — Theorem 2 from [1]. That estimate of the value of  $\delta$  is more precise than the analogous estimate from [1]. {Note: In [3] the estimate for  $\delta$  in Theorem 2 is given from [1].}

Let in system (2)  $f(t, x)$  be a continuous vector function of the variables  $t$  and  $x$ ;  $f(t, 0) = 0$ . We will designate that  $||f(t, x)|| \leq \omega(t)||x||$ . The continuous function  $\omega(t)$  satisfies the condition

$$\left\{ \begin{array}{l} \text{either } \omega(t)t^{1-\beta} \rightarrow 0 \text{ at } t \rightarrow +\infty, \\ \text{or } \omega(t) \leq \epsilon t^{-1}, \quad \epsilon > 0, \quad \epsilon \text{ is a small parameter.} \end{array} \right. \quad (12)$$

Theorem 2. Let in system (2) the matrix  $A(t)$  satisfy the conditions of Theorem 1. For the vector function  $f(t, x)$ , condition (12) is fulfilled. Then a zero solution of system (2) is asymptotically stable according to Lyapunov at  $t \rightarrow +\infty$ . More precisely, for solutions of system (2) an estimate of type (9) is made.

Now let us examine a system of the type of (3). There  $\varphi(t)$  and  $F(t, x)$  are continuous functions of the variables  $t$  and  $t, x$  respectively;  $F(t, 0) = 0$ . We will designate that  $||\varphi(t)|| \leq \omega_1(t)$ ;  $||F(t, x) - F(t, y)|| \leq \omega_2(t) ||x - y||$ , where  $\omega_i(t)$  ( $i = 1, 2$ ) are continuous functions of the variable  $t \geq t_0$ . We will also designate that  $x(t) = x^{(1)}(t) + x^{(2)}(t)$ , where  $x^{(1)}(t)$  and  $x^{(2)}(t)$  are any parts of the solution of system (3).

Theorem 3. Let for the matrix  $A(t)$  the conditions of Theorem 1 be fulfilled and the vector-functions  $\varphi(t)$  and  $F(t, x)$  be such that for  $\omega_i(t)$  ( $i = 1, 2$ ) condition (12) is fulfilled. Then for the vector function  $x(t)$ , starting from a certain  $t \geq t_0$ , the estimate is made

$$||x(t)|| \leq K \exp \left[ -\frac{\rho^* g}{\beta} \left( t^\beta - t_0^\beta \right) \right] ||x(t_0)||$$

with the constants  $K > 0$  and  $0 < \rho^* < \rho$ . Therefore, each partial solution of system (3) is asymptotically stable according to Lyapunov at  $t \rightarrow +\infty$ .

## BIBLIOGRAPHY

1. Lyashchenko, N. Ya., Doklady AN SSSR, 96, 1954, p. 237.
2. Farnell, A. B., Langenhop, C. E., and Levinson, N., J. Math. Phys., 29, 1951, p. 300.
3. Lyashchenko, N. Ya., Doklady AN SSSR, 104, 1955, p. 177.
4. Hale, I. K., and Stokes, A. P., J. Math. Anal. Applic., 3, 1961, p. 50.
5. Stokalo, I. Z., Lineynyie differentsial'nyye uravneniya s peremennymi koefitsientami (Linear Differential Equations with Variable Coefficients) AS Ukrainian SSR Publishing House, 1960, p. 38.

Presented by Academician I. Z. Stokalo of the AS Ukrainian SSR  
Odessa State University  
Manuscript received 27 November 1965



# DISTRIBUTION

	No. of Copies		No. of Copies
Air University Library ATTN: AUL3T Maxwell Air Force Base Alabama 36112	1	Scientific and Technical Information Division National Aeronautics and Space Administration ATTN: ATS Washington, D. C. 20546	1
U. S. Army Electronics Proving Ground ATTN: Technical Library Fort Huachuca, Arizona 85613	1	U. S. Atomic Energy Commission ATTN: Reports Library, Room G-017 Washington, D. C. 20545	1
Naval Weapons Center ATTN: Technical Library, Code 753 China Lake, California 93555	1	U. S. Naval Research Laboratory ATTN: Code 2027 Washington, D. C. 20390	1
Naval Weapons Center Corona Laboratories ATTN: Documents Librarian Corona, California 91720	1	Weapons Systems Evaluation Group Washington, D. C. 20305	1
Lawrence Radiation Laboratory ATTN: Technical Information Division P. O. Box 808 Livermore, California 94550	1	John F. Kennedy Space Center National Aeronautics and Space Administration ATTN: KSC Library, Documents Section Kennedy Space Center, Florida 32899	2
Sandia Corporation ATTN: Technical Library P. O. Box 969 Livermore, California 94551	1	APGC (PGBPS-12) Eglin Air Force Base, Florida 32542	1
U. S. Naval Postgraduate School ATTN: Library Monterey, California 93940	1	U. S. Army CDC Infantry Agency Fort Benning, Georgia 31905	1
Electronic Warfare Laboratory USAECON P. O. Box 205 Mountain View, California 94042	1	Argonne National Laboratory ATTN: Report Section 9700 South Cass Avenue Argonne, Illinois 60440	1
Jet Propulsion Laboratory ATTN: Library (TDS) 4800 Oak Grove Drive Pasadena, California 91103	2	U. S. Army Weapons Command ATTN: AMSWE-RDR Rock Island, Illinois 61201	1
U. S. Naval Missile Center ATTN: Technical Library, Code N3022 Point Mugu, California 93041	1	Rock Island Arsenal ATTN: SWERI-RDI Rock Island, Illinois 61201	1
U. S. Army Air Defense Command ATTN: ADSX Ent Air Force Base, Colorado 80912	1	U. S. Army Cmd. and General Staff College ATTN: Acquisitions, Library Division Fort Leavenworth, Kansas 66027	1
Central Intelligence Agency ATTN: OCR/DD-Standard Distribution Washington, D. C. 20505	4	Combined Arms Group, USACDC ATTN: O. Res., P and P Div. Fort Leavenworth, Kansas 66027	1
Harry Diamond Laboratories ATTN: Library Washington, D. C. 20438	1	U. S. Army CDC Armor Agency Fort Knox, Kentucky 40121	1
		Michoud Assembly Facility National Aeronautics and Space Administration ATTN: Library, I-MICH-OSD P. O. Box 29300 New Orleans, Louisiana 70129	1

# DISTRIBUTION (Continued)

	No. of Copies		No. of Copies
Aberdeen Proving Ground ATTN: Technical Library, Bldg. 313 Aberdeen Proving Ground Maryland 21005	1	ORA (RRRT) Holloman Air Force Base New Mexico 88330	1
NASA Scientific and Technical Information Facility ATTN: Acquisitions Branch (S-AK/DL) P. O. Box 33 College Park, Maryland 20740	5	Los Alamos Scientific Laboratory ATTN: Report Library P. O. Box 1663 Los Alamos, New Mexico 87544	1
U. S. Army Edgewood Arsenal ATTN: Librarian, Technical Information Division Edgewood Arsenal, Maryland 21010	1	White Sands Missile Range ATTN: Technical Library White Sands, New Mexico 88002	1
National Security Agency ATTN: C3/TDL Fort Meade, Maryland 20755	1	Rome Air Development Center (EMLAL-1) ATTN: Documents Library Griffiss Air Force Base, New York 13440	1
Goddard Space Flight Center National Aeronautics and Space Administration ATTN: Library, Documents Section Greenbelt, Maryland 20771	1	Brookhaven National Laboratory Technical Information Division ATTN: Classified Documents Group Upton, Long Island, New York 11973	1
U. S. Naval Propellant Plant ATTN: Technical Library Indian Head, Maryland 20640	1	Watervliet Arsenal ATTN: SMEWV-RD Watervliet, New York 12189	1
U. S. Naval Ordnance Laboratory ATTN: Librarian, Eva Liberman Silver Spring, Maryland 20910	1	U. S. Army Research Office (ARO-D) ATTN: CRD-AA-IP Box CM, Duke Station Durham, North Carolina 27706	1
Air Force Cambridge Research Laboratories L. G. Hanscom Field ATTN: CRMXLR/Stop 29 Bedford, Massachusetts 01730	1	Lewis Research Center National Aeronautics and Space Administration ATTN: Library 21000 Brookpark Road Cleveland, Ohio 44135	1
U. S. Army Tank Automotive Center ATTN: SMOTA-RTS.1 Warren, Michigan 48090	1	Foreign Technology Division ATTN: Library Wright-Patterson Air Force Base Ohio 45400	1
U. S. Army Materials Research Agency ATTN: AMXMR-ATL Watertown, Massachusetts 02172	1	U. S. Army Artillery and Missile School ATTN: Guided Missile Department Fort Sill, Oklahoma 73503	1
Strategic Air Command (OAI) Offutt Air Force Base Nebraska 68113	1	U. S. Army CDC Artillery Agency ATTN: Library Fort Sill, Oklahoma 73504	1
Picatinny Arsenal, USAMUCOM ATTN: SMUPA-VA6 Dover, New Jersey 07801	1	U. S. Army War College ATTN: Library Carlisle Barracks, Pennsylvania 17013	1
U. S. Army Electronics Command ATTN: AMSEL-CB Fort Monmouth, New Jersey 07703	1	U. S. Naval Air Development Center ATTN: Technical Library Johnsville, Warminster Pennsylvania 18974	1
Sandia Corporation ATTN: Technical Library P. O. Box 5800 Albuquerque, New Mexico 87115	1	Frankford Arsenal ATTN: C-2500-Library Philadelphia, Pennsylvania 19137	1

# DISTRIBUTION (Concluded)

	No. of Copies		No. of Copies
Division of Technical Information Ext. USAEC P. O. Box 62 Oak Ridge, Tennessee 37830	1	National Aeronautics and Space Administration Marshall Space Flight Center ATTN: MS-T, Mr. Wiggins Marshall Space Flight Center Alabama 35812	5
Oak Ridge National Laboratory ATTN: Central Files P. O. Box X Oak Ridge, Tennessee 37830	1	Defense Documentation Center Cameron Station Alexandria, Virginia 22314	20
Air Defense Agency, USACDC ATTN: Library Fort Bliss, Texas 79916	1	USACDC-LnO	1
U. S. Army Air Defense School ATTN: AKBAAS-DR-R Fort Bliss, Texas 79906	1	AMSMI -R, Dr. McDaniel	1
		-D	1
		-XE, Mr. Lowers	1
		-Y	1
		-RBLD	10
U. S. Army Combat Developments Command		-RB, Mr. Croxton	1
Institute of Nuclear Studies Fort Bliss, Texas 79916	1	-RBRT	8
		-R-AERO-G, Mr. Gregoria	1
		-RPA	1
		-RBL	5
		-RPR	1
Manned Spacecraft Center National Aeronautics and Space Administration ATTN: Technical Library, Code BM6 Houston, Texas 77058	1		
U. S. Army Research Office ATTN: STINFO Division 3045 Columbia Pike Arlington, Virginia 22204	1		
U. S. Naval Weapons Laboratory ATTN: Technical Library Dahlgren, Virginia 22448			
U. S. Army Engineer Research and Development Laboratories ATTN: Scientific and Technical Information Branch Fort Belvoir, Virginia 22060	2		
Langley Research Center National Aeronautics and Space Administration ATTN: Library, MS-185 Hampton, Virginia 23365	1		
Research Analysis Corporation ATTN: Library McLean, Virginia 22101	1		
Foreign Science and Technology Center Munitions Building Washington, D. C. 20315	3		
National Aeronautics and Space Administration Code USS-T (Translation Section) Washington, D. C. 20546	2		

UNCLASSIFIED

Security Classification

## DOCUMENT CONTROL DATA - R &amp; D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Redstone Scientific Information Center Research and Engineering Directorate (Provisional) U. S. Army Missile Command Redstone Arsenal, Alabama 35809		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP N/A	
3. REPORT TITLE ON ASYMPTOTIC STABILITY ACCORDING TO LYAPUNOV IN SOME CRITICAL CASES Dopovidi Akademiya Nauk URSR, 35, No. 1, 21-25 (1967)			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Translated from the Ukrainian			
5. AUTHOR(S) (First name, middle initial, last name) V. V. Kostin			
6. REPORT DATE 27 January 1969		7a. TOTAL NO. OF PAGES 10	7b. NO. OF REFS 5
8a. CONTRACT OR GRANT NO. N/A		9a. ORIGINATOR'S REPORT NUMBER(S) RSIC-892	
b. PROJECT NO. N/A		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) AD	
c.			
d.			
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES None		12. SPONSORING MILITARY ACTIVITY Same as No. 1	
13. ABSTRACT  Systems of the type (1), (2), and (3) are investigated in this paper. Some or all real parts of the eigenvalues of $A(t)$ approach zero as $t \rightarrow +\infty$ . Sufficient conditions are obtained for asymptotic stability according to Lyapunov of the solutions of the systems as $t \rightarrow +\infty$ .			

DD FORM 1473

1 NOV 66

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED  
Security Classification

9

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Differential equations Asymptotic stability Vector functions Continuous functions						

UNCLASSIFIED

Security Classification